



Classic L&L pottery kiln: Includes signature L&L features. Popular among our customers.

Model No.	Kiln MSRP	Furn Kit	Quad Elem	No. Shelves F=full, H=half		Inside Height	Cubic Feet	Exterior Dim (in)	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	
e14S-3	\$2600	\$240	N/A	12" (3F)	13.5"	18"	1.5	23W x 51H x 27D	3.8~16~20	no 3 phase	3.8~18.5~25	no 3 phase	150	175
e18S-3	\$2990	\$340	N/A	15" (1F, 4H)	16.5"	18"	2.5	28W x 55H x 30D	5.7~23.9~30	5.7~20.7~30	5.0~23.9~30	5.0~20.8~30	235	285
e18M-3	\$3250	\$340	N/A	15" (1F, 4H)	16.5"	22.5"	3.2	28W x 60H x 30D	8.0~33.3~50	8.0~23.1~30	8.0~38.5~50	8.0~26.6~40	260	310
e18T-3	\$3950	\$500	N/A	15" (2F, 4H)	16.5"	27"	3.7	28W x 63H x 30D	8.4~35.0~50	8.4~20.2~30	8.4~40.4~60	8.4~23.3~30	280	340
e23S-3	\$4135	\$535	\$340	20" (6H)	22.3"	18"	4.4	30W x 59H x 40D	9.5~39.4~50	9.5~34.1~50	8.3~40.0~50	8.3~34.6~50	320	395
e23M-3	\$4655	\$535	\$415	20" (6H)	22.3"	22.5"	5.5	30W x 63H x 40D	11.5~48.0~60	11.5~33.3~50	10.0~48.0~60	11.5~38.4~50	350	425
e23T-3	\$4990	\$655	\$495	20" (8H)	22.3"	27"	6.7	30W x 68H x 40D	11.5~48.0~60	11.5~27.7~40	10.0~48.0~60	11.0~30.5~40	380	470
e28S-3	\$4940	\$715	\$445	25-1/2" (6H)	28"	18"	6.8	35W x 65H x 46D	11.5~47.9~60	11.5~41.5~60	10.0~48.0~60	10.0~41.6~60	410	520
e28M-3	\$5305	\$715	\$555	25-1/2" (6H)	28"	22.5"	8.5	35W x 69H x 46D	11.5~48.0~60	16.6~40.0~50	10.0~48.0~60	14.3~39.8~50	445	555
e28T-3	\$5800	\$895	\$655	25-1/2" (8H)	28"	27"	10.2	35W x 74H x 46D	11.5~48.0~60	16.6~40.0~50	10.0~48.0~60	14.3~39.8~50	475	610

N/A = Not Avaliable

Cone Rating: All models are rated to Cone 10 except the single phase e28T-3 (rated to Cone 8 at 240V/1 Phase, Cone 5 at 208V/1 Phase, but Cone 10 for any 3 phase kiln) and the e28M-3 (rated at Cone 8 for 208V/1 phase). If planning continuous Cone 6 firings,

or above, we recommend the eQuad-Pro eQ2827-3 or the Jupiter JD2927-3 (both have more KW than the e28T-3 in their single phase versions).

Furniture Kit: See above for shelves. Includes one Large Square Post Kit except for e14S-3, e18S-3, and e18M-3 which include a small post kit.

Power Hookup: (USA only) 6-50P plug on single phase and 15-50P plug on three phase except for the e14S-3 which has a 6-20P Plug for 240 volt models or a 14-30P Plug for 208 volt models.

Listing: c-MET-us listed to UL499 standards.

OPTIONS

TYPE S THERMOCOUPLES

PYROCIL SHEATHED THERMOCOUPLES

ROLLING STAND

DYNATROI



SCHOOL-MASTER

Made For K-12 Schools

Only kiln with Multi-Voltage Elements designed for K-12 Low Fire Programs.

Model No.	Kiln MSRP		No. of Shelves All Half Shelves	Inside Diam	Inside Height	Cubic Feet	Exterior Dimensions	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
SM23T-3-A-1Ph	\$4990	\$655	20" (8H)	22.3"	27"	6.7	30W x 68H x 40D	11.5~48.0~60	11.5~27.8~40	9.0~43.2~60	9.0~27.9~40	380	470
SM23T-3-A-3Ph	\$4990	\$655	20" (8H)	22 3"	27"	6.7	30W x 68H x 40D	11 5~48 0~60	11 5~27 8~40	9.0~43.2~60	9.0~27.9~40	380	470

Cone Rating: All models rated for Cone 6 maximum, but low-fire (Cone 1) recommended.

Furniture Kit: See above for shelves, Includes one

Large Square Post Kit.

Power Hookup: (USA only) 6-50 plug with 6 foot cord on single phase (15-50 plug for the three phase cord

which is part of the three phase Conversion Kit).

Listing: c-MET-us listed to UL499 standards.

OPTIONS

PYROCIL SHEATHED THERMOCOUPLES

ROLLING STAND



EQUAD-PRO KILNS Super-Duty High Production Kilns

Extra power, Quad element system, Ideal for Production Potters.

Model No.	Kiln MSRP		No. of Shelves	Inside Diam	Inside Height	Cubic Feet	Exterior Dimensions	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
eQ2327-3	\$6110	\$655	20" (8H)	22.3"	27"	6.7	30W x 69H x 40D	13.4~56.0~70	13.4~32.4~50	11.7~56.0~70	11.7~32.4~50	395	485
eQ2827-3	\$6710	\$895	25.5" (8H)	28"	27"	10.2	35W x 74H x 49D	15.0~62.3~80	15.0~36.0~50	15.0~71.9~90	15.0~41.5~60	515	650
eQ2836-3	\$7850	\$1075	25.5" (10H)	28"	36"	13.6	35W x 83H x 49D	19.0~79.2~100	19.0~51.5~70	19.0~91.3~125*	19.0~60.4~80	605	770

Note* Special model eQ2836-X-208-1P is available with 16.6 KW, 208 Volt/1 Phase, 80 amps for a 100 amp fuse.

Cone Rating: All models rated for Cone 10 on a production basis due to extra power and Quad elements.

Furniture Kit: See above for shelves. Includes one

Large Square Post Kit.

Power Hookup: All models are direct wired with no cords.

Listing: c-MET-us listed to UL499 standards.

OPTIONS

- INDUSTRIAL CONTROLS
- **TYPE S THERMOCOUPLES**
- PYROCIL SHEATHED THERMOCOUPLES
- **ROLLING STAND**
- HIGH LIMIT BACK UP CONTROL
- SOLID STATE RELAYS

- **BACK UP CONTACTORS**
- DYNATROL

2 hotkilns.com



Small test/craft kilns: 120V or low-amperage 208-240V. Ideal for beginners and glaze testing.

Model	Kiln	Furn	Cone						Lbs	Lbs
No.	MSRP	Kit	Rating	Watts	Amps	Volts	Fuse	Plug	Kiln	w/Kit
DL11-D	\$1950	\$130	5	1800	15	120	20	5-15	145	170
DLH11-D	\$1950	\$130	6	2160	18	120	25	5-20	145	170
DLH11-DX-240	\$1950	\$130	10	2800	11.7	240	15	14-30	145	170
DLH11-DX-208	\$1950	\$130	10	2800	13.5	208	20	14-30	145	170

Furniture Kit: Two 9" full shelves plus one Doll Square Post Kit.

Listings: cMET-us listed to UL499.

Note* The 120-volt versions should not be used for high production (more than once a week) to their maximum temperature range - the element life will not be acceptable under those conditions. 208-volt and 240-volt versions are rated to Cone 10 under high production conditions.

OPTIONS

TYPE S THERMOCOUPLES

PYROCIL SHEATHED THERMOCOUPLES



JUPITER KILNS Modular & Highly Customizable

Unique plug-in control panel and sectional construction for sculptors and ceramic artists needing flexibility.

Model No.	Kiln MSRP	Furn Kit	Quad Elem	No. of Shelves F=full, H=half		Inside Height	Cubic Feet	Cone Rating	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
JD230V-3	\$5290	\$655	\$505	20" (8H)	22.3"	27"	6.7	10	10.6~44.0~60	10.6~25.4~40	9.1~44.0~60	9.1~25.4~40	385	470
JD236V-3	\$6505	\$775	\$655	20" (10H)	22.3"	36"	8.9	10	14.1~58.6~80	14.1~38.1~50	12.2~58.6~80	12.2~38.1~50	460	545
JD245V-3	\$7670	\$895	\$835	20" (12H)	22.3"	45"	11.1	10	17.6~73.3~100	17.6~50.8~70	15.2~73.3~100	15.2~50.8~70	540	650
JD2927-3	\$7165	\$895	\$630	25.5" (8H)	28"	27"	10.2	10	13.7~57.0~80	13.7~32.9~50	12.5~60.0~80	12.5~34.6~50	450	575
JD2936-3	\$9295	\$1075	\$860	25.5" (10H)	28"	36"	13.6	10	18.2~76.0~100	18.2~49.3~70	16.6~80.0~100	16.6~52.0~70	565	715
JD2945-3	\$11000	\$1255	\$1060	25.5" (12H)	28"	45"	17.0	10	22.8~95.0~125	22.8~65.8~90	20.8~100.0~125	20.8~69.3~90	645	820

Note About EZ Models: All the JD2300 series are available with higher watts "EZ" elements (the same elements used in the e23T kilns) at no extra charge.

Cone Rating: All models are rated to Cone 10

Furniture Kit: See above for shelves. Includes one Large Square Post Kit.

Listings: cMET-us listed to UL499.

Power Hookup: Plugs (6-50 for single phase and 15-50 for three phase) are included on kilns that have less than 48 amps, otherwise direct wired. All non-USA models are direct wired.

OPTIONS

- INDUSTRIAL CONTROLS
- 480 VOLTS/3 PHASE (JD2900 Only)
- **NEMA 1 CONTROL BOX**
- TYPE S THERMOCOLIPLES
- PYROCIL SHEATHED THERMOCOUPLES
- ROLLING STAND
- HIGH LIMIT BACK UP CONTROL
- **BACK UP CONTACTORS**
- SOLID STATE RELAYS
- DYNATROL
- **PULL APART OPTION**



JH SERIES Crystalline Glaze Kilns

High-temp, crystalline glaze firing. Extra power, Quad element design, Type S thermocouples, and balanced super high-temp brick for fast heat-up and cooldown.

Model	Kiln	APM	Furn	No. of Shelves	Inside	Inside	Cubic	240/1	240/3	208/1	208/3	Lbs	Lbs
No.	MSRP	Elements	Kit	F=full, H=half	Diam	Height	Feet	KW~Amp~Fuse	KW~Amp~Fuse	KW~Amp~Fuse	KW~Amp~Fuse	Kiln	w/Kit
JD18-JH	\$4525	\$785	\$340	15" (1F, 4H)	17.5"	18"	2.6	8.8~36.7~60	8.8~31.7~50	8.8~42.3~60	8.8~36.8~50	255	305
e23S-JH	\$5460	\$860	\$535	20" full (6H)	23.3"	18"	4.7	10.5~47.9~60	10.5~41.5~50	10.0~48.0~60	10.0~41.6~50	335	415
JD230-JH	\$8400	\$1235	\$655	20" full (8H)	23.3"	27"	7.0	13.7~57.0~80	13.7~32.9~50	12.5~60.0~80	12.5~34.7~50	410	510
JD2927-JH	\$10610	\$1390	\$895	25.5" (8H)	29"	27"	10.3	18.0~75.2~100	18.0~43.5~60	18.0~86.7~125	18.0~50.1~70	510	645

Cone Rating: All models rated for Cone 12 on a production basis due to extra power, Quad elements, and high-temp brick.

Furniture Kit: See above for shelves. Includes one

Large Square Post Kit.

Listings: JH Series kilns are not listed to UL499 They may be unsuitable for commercial spaces where Nationally Recognized Listing is required.

Power Hookup: Plugs vary with model, voltage and phase. See Spec sheet standards.

OPTIONS

- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED THERMOCOUPLES
- ROLLING STAND
- HIGH LIMIT BACK UP CONTROL
- BACK UP CONTACTORS
- DYNATROL

SOLID STATE RELAYS



EFL SERIES KILNS

Studio Front-Loading Kilns

Great for studios and schools. Arched sides and top for strength. Heat-balanced insulation, even firing. Adjustable door with plug seal and door switch.

Model	Kiln	Furn		Cubic	Hearth	Inside	Exterior	240/1	240/3	208/1	208/3	Lbs	Lbs
Number	MSRP	Kit	Shelves	Feet	Height	Dimensions	Dimensions	KW~Amp~Fuse	KW~Amp~Fuse	KW~Amp~Fuse	KW~Amp~Fuse	Kiln	w/Kit
eFL1626	\$8,555	\$535	(3) 14"x 24"	6.6	30"	17W x 26H x 26D	36W x 63H x 39D	11.5~48.0~60	12.5~30.1~40	*11.6~56.0~70	12.5~34.7~50	645	725
eFL2626	\$10,530	\$760	(6) 12"x 24"	10.2	30"	26W x 26H x 26D	45W x 63H x 39D	15.4~64.0~80	15.4~37.0~50	15.4~73.9~100	15.4~42.6~60	765	850
eFL2635	\$12,375	\$960	(8) 12"x 24"	13.7	30"	26W x 35H x 26D	45W x 72H x 39D	19.2~80.0~100	19.2~52.9~70	19.2~92.3~125	19.2~61.1~80	895	900

All models are rated to Cone 10. *A special model eFL1626-208-X is rated at Cone 5 but has 48.0 amps and a 60 amp fuse. Plugs on US Models only: 6-50P on single phase and 15-50P on three phase for all eFL1626 models except the standard eFL1626-208 1 Phase and 3 phase eFL2626 which needs to be direct wired. All other models are direct wired.

Moving: All models fit through a 31" wide by 75" high door (before reassembly). All eFL kilns can be moved with a pallet-jack. *High-lift pallet-jack or forklift required for assembly and unloading off pallet*.

Shipping: Protected with wood crate and foam-in-place packaging for shipment by Common Carrier. Fits on one 48x48" pallet. Ships from factory

direct to customer.

Furniture Kit: See above for shelves. Includes one Large Square Post Kit.

Listings: cMET-us listed to UL499.

Caster Option Available: except for the eFL2635 (S-C-CAST/KT) \$355

Checklist: Fill out installation checklist prior to order:



hotkilns.com /eFL-checklist

OPTIONS

- INDUSTRIAL CONTROLS
- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED
 THERMOCOUPLES
- CASTERS (except eFL2635)
- HIGH LIMIT BACK UP CONTROL
- SOLID STATE RELAYS
- BACK UP CONTACTORS
- DYNATROL



EASY-LOAD KILNSCommercial Front-Loading Kilns

Ideal for production. Adjustable door with plug seal, fiberglass gasket, door elements. Heavy-gauge welded case, 4.5" K25 arched brick top and 2" of backup insulation between firebrick and metal casing. Door switch, industrial control panel with branch fusing.

Model	Kiln	Furniture	Inside	Cubic	Hearth	Shelves	Hearth		240/1	240/3	208/1	208/3	480/3	Lbs	Lbs
No.	MSRP	Kit	Dimensions	Feet	Size	Size	Height	KW	Amp~Fuse	Amp~Fuse	Amp~Fuse	Amp~Fuse	Amp~Fuse	Kiln	w/Kit
EL2424	\$15,055	\$565	25W x 25D x 24H	8.0	22" x 22"	(4) 11" × 22"	30"	15.0	63.0~80	55.0~70	73.0~100	63.0~80	28.0~40	1075	1250
EL2427	\$16,380	\$760	25W x 25D x 27H	9.0	22" x 22"	(6) 11" × 22"	30"	15.0	68.8~90	39.6.0~50	79.3~100	45.7~60	19.8~25	1200	1450
EL2436	\$23,840	\$960	25W x 25D x 36H	12.0	22" x 22"	(8) 11" x 22"	30"	19.0	80.0~100	46.0~60	92.0~125	53.0~70	24.0~30	1350	1550
EL2448	\$28,910	\$1160	25W x 25D x 48H	16.0	22" x 22"	(10) 11" × 22"	18"	24.2	101.0~125	59.0~80	117.0~150	68.0~90	30.0~40	1500	1750
EL2848	\$31,020	\$1560	31W x 25D x 48H	20.0	28" x 24"	(12) 14" × 24"	18"	27.0	113.0~150	66.0~90	130.0~175	75.0~100	33.0~50	1750	2000
EL3048	\$35,775	\$1860	31W x 32D x 48H	25.0	28" x 28"	(12) 14" x 28"	18"	31.5	132.0~175	76.0~100	152.0~200	88.0~125	39.0~50	2000	2300

Cone Rating: All models rated for Cone 10

Furniture Kit: See above for shelves. Includes two Large Square Post Kits.

Power Hookup: Direct wired.

OPTIONS

Moving: All the kilns except the EL3048 will go through a 34-1/2" wide by 75" high door. The EL3048 needs a minimum door size of 40-1/2" wide by 76" high. All Easy-Load kilns can be moved with a pallet-jack from any side, after its unloaded. *Forklift required for unloading off pallet*.

Shipping: Protected with wood crate, foam-in-place packaging, and special pallet cushions. Shipping by air-ride truck. Fits on one pallet. Ships from factory direct to customer.

Listings: MET-us listed to UL499.

Powered Bottom Option Available

(P-B-UPGD/00)

\$1,975

Checklist: Fill out installation checklist prior to order:



hotkilns.com /front-load-checklist

INDUSTRIAL CONTROLS

- 480 VOLTS/3 PHASE
- NEMA 1 CONTROL BOX
- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED THERMOCOUPLES
- POWERED BOTTOM
- SOLID STATE RELAYS
- HIGH LIMIT BACK UP CONTROL
 - BACK UP CONTACTORS

DYNATROL

4 L&L hotkilns.com



DAVINCI KILNS

Square & Rectangular Top-Loading Kilns

Large volume square & rectangular kilns with adjustable height. Ideal for production and tiles. Arched sides for strength, counterbalanced lid.

													(see Spec Sheets for high KW fuse)							
Model	Kiln	Power	High	Furn	Quad	Shelves	Post	Inside	Inside	Cubic	External	Stand	High	240/1	240/3	208/1	208/3	Lbs	Lbs	
No.	MSRP	Botm	Power	Kit	Elem	in Furn Kit	Kits	W x D	Height	Feet	Dimensions	KW	KW	Fuse	Fuse	Fuse	Fuse	Kiln	w/Kit	
XB3218	\$9,700	\$1325	N/A	\$680	\$530	(4) 28" × 14"	(1)	30.5" Square	18"	9.7	63W x 74H x 51D	14.2	N/A	80	70	90	80	800	915	
X3227	\$11,335	\$1325	N/C	\$1110	\$810	(6) 28" x 14"	(1)	30.5" Square	27"	14.5	63W x 84H x 51D	18.0	21.3	100	60	125	70	1020	1170	
X3236	\$13,130	\$1325	N/C	\$1360	\$1085	(8) 28" × 14"	(2)	30.5" Square	36"	19.4	63W x 93H x 51D	24.4	28.4	125	80	150	100	1120	1310	
X3245	\$14,535	\$1325	N/C	\$1610	\$1365	(10) 28" × 14"	(2)	30.5" Square	45"	24.2	63W x 102H x 510	30.5	35.5	175	125	200	125	1265	1495	
TB2318	\$9,570	\$1585	N/A	\$760	\$860	6) 22" x 11"	(1)	26.5" x 34.75"	18"	9.6	68W x 72H x 47D	15.3	N/A	80	70	100	80	905	1005	
T2327	\$11,155	\$1585	N/C	\$1060	\$1135	(9) 22" × 11"	(1)	26.5" x 34.75"	27"	14.4	68W x 84H x 47D	19.5	23.0	100	60	125	70	1035	1170	
T2336	\$12,845	\$1585	N/C	\$1530	\$1440	(12) 22" x 11"	(2)	26.5" x 34.75"	36"	19.2	68W x 93H x 47D	26.0	30.7	125	90	150	100	1135	1315	
T2345	\$14,250	\$1585	N/C	\$1830	\$1480	(15) 22" × 11"	(2)	26.5" x 34.75"	45"	24.0	68W x 102H x 47E	32.5	38.4	175	125	200	125	1285	1500	
TB3418	\$10,090	\$1790	N/A	\$1110	\$655	(6) 28" x 14"	(2)	30.5" x 43.5"	18"	13.8	76W x 72H x 53D	19.9	N/A	100	90	125	100	1065	1215	
T3427	\$12,090	\$1790	N/C	\$1485	\$1010	(9) 28" x 14"	(2)	30.5" x 43.5"	27"	20.7	76W x 84H x 53D	24.9	36.5	125	80	150	90	1215	1420	
T3436	\$14,195	\$1790	N/C	\$1860	\$1365	(12) 28" × 14"	(2)	30.5" x 43.5"	36"	27.6	76W x 93H x 53D	33.3	39.9	175	125	200	125	1340	1615	
T3445	\$16,690	\$1790	N/C	\$2415	\$1665	(15) 28" x 14"	(3)	30.5" x 43.5"	45"	34.6	76W x 102H x 53E	41.6	49.8	200	150	225	175	1505	1840	

(N/A = Not available, N/C = No Charge)

Cone Rating: All models rated for Cone 10.

Furniture Kit: See above for shelves and number of Large Square Post Kits.

Power Hookup: Direct wired - no plugs.

Shipping: Protected with foam-in-place

packaging for shipment by Common Carrier. Depending on the model there are either two or three crates. Some smaller models can ship in skidded cartons. Ships from factory direct to customer.

Listings: cMET-us listed to UL499.

OPTIONS

- INDUSTRIAL CONTROLS
- 480 VOLTS/3 PHASE
- NEMA 1 CONTROL BOX
- PYROCIL SHEATHED
 THERMOCOUPLES

TYPE S THERMOCOUPLES

- POWERED BOTTOM
- SOLID STATE RELAYS
- HIGH LIMIT BACK UP CONTROL
- DYNATROL
- BACK UP CONTACTORS



DAVINCI BELL-LIFT KILNS

Commercial Vertical Lift Kilns

Loading made easy. Kiln body moves up, accessible from all four sides. Replaces Car Bottom Kilns.

	Sta	ndard	KW	Fu	ıse	
see	Spec	Sheets	for hi	ah	кw	fι

Model No.	Kiln MSRP	Power Bottom	Furn Kit	Shelves in Furn Kit	Post Kits	Inside W x D	Inside Height	Cubic Feet	External Dimensions	Stand KW	High KW	240/1 Fuse		208/1 Fuse	208/3 Fuse	Lbs Kiln	Lbs w/Kit
X3227-BL	\$30,160	\$1325	\$1030	(6) 28" x 14"	(1)	30.5" Square	27"	14.5	77W x 114H x 67D	18.0	21.3	100	60	125	70	1750	1900
X3236-BL	\$31,825	\$1325	\$1360	(8) 28" x 14"	(2)	30.5" Square	36"	19.4	77W x 132H x 67D	24.4	28.4	125	80	150	100	1885	2090
X3245-BL	\$35,595	\$1325	\$1610	(10) 28" x 14"	(2)	30.5" Square	45"	24.2	77W x 150H x 67D	30.5	35.5	175	125	200	125	2075	2325
X3254-BL	\$37,780	N/A	\$1610	(10) 28" x 14"	(2)	30.5" Square	54"	29.1	77W x 168H x 67D	36.0	42.6	200	150	225	176	2140	2350
T3427-BL	\$32,840	\$1790	\$1060	(9) 28" x 14"	(2)	30.5" x 43.5"	27"	20.7	89W x 114H x 70D	24.9	36.5	125	80	150	90	1975	2205
T3436-BL	\$33,800	\$1790	\$1530	(12) 28" x 14"	(2)	30.5" x 43.5"	36"	27.6	89W x 132H x 70D	33.3	39.9	175	125	200	125	2225	2525
T3445-BL	\$36,010	\$1790	\$1830	(15) 28" x 14"	(3)	30.5" x 43.5"	45"	34.6	89W x 150H x 70D	41.6	49.8	200	150	225	175	2475	2850
T3454-BL	\$38,740	N/A	\$1830	(15) 28" x 14"	(3)	30.5" x 43.5"	54"	41.5	89W x 168H x 70D	49.8	59.8	250	200	300	225	2445	2860

Cone Rating: All models rated for Cone 10.

 ${\bf Listings:}$ cMET-us listed to UL499 with the exception of models X3254-BL, T3454-BL, and TB644754-BL.

Furniture Kit: See above for shelves and number of Large Square Post Kits.

 $\label{power-bound} \textbf{Power Hookup:} \ \ \text{Direct wired - no plugs.} \ \ \text{You have a choice of standard or high power KW for no change in price.}$

OPTIONS


- INDUSTRIAL CONTROLS480 VOLTS/3 PHASE
- TYPE S THERMOCOUPLES
- POWERED BOTTOM
- SOLID STATE RELAYS

- NEMA 1 CONTROL BOX
- PYROCIL SHEATHED THERMOCOUPLES
- HIGH LIMIT BACK UP CONTROL
- DYNATROL
- BACK UP CONTACTORS

800-750-8350



(M-V-VENT/DB)



\$230

LARGE SQUARE POST KIT (Six each 1/2", 1", 2", 4", 6" & 8" square posts)		ROUND & POLYGONAL SHELVES		RECTANGULAR SHELVES	
Six each 1/2", 1", 2", 4", 1 C-G-SPKT/LG)	\$180	11" DIAMETER KILNS FOR DOLL/TEST KILNS		T2300 SERIES, EL2424-H, EL2427-H, EL EL2436 & EL2448	
SMALL SQUARE POST KIT (Four each 1/2", 1", 2", 4", 6" square posts)		Full Round 9" diameter shelf (3/8" thick) (H-D-9000/00) \$43		11" x 22" rectangular (3/4" thick) (H-X-2211/00) \$98	
'C-G-SPKT/SM)	\$85	14" DIAMETER KILNS	EZ	EFL2626, EFL2635, X2800 SER	EFL DAV
DOLL SQUARE POST KIT (Four each 1/2", 1", 2", 4" square posts) (C-G-SPKT/DL) \$45		FOR E14S-3 KILNS (with 3" brick) Full Round 12" diameter (1/2" thick) (H-J-1200/00) \$55		12" x 24" rectangular (3/4" thick) (H-X-2412/00) \$98	
SQUARE POSTS (1-1/2" SQUARE) 1/2" Square Post		16-1/2" DIAMETER KILNS FOR E18S-3 & E18T-3, AND J1800-3 (kilns with 3" brick)		EFL EL2848, EFL1616, EFL1626 14" x 24" rectangular (3/4" thick)	
C-G-S005/00) L" Square Post	\$2.45	Full Round 15" diameter (! (H-J-150A/00)	5/8" thick) \$70	(H-X-2414/00) \$115	
C-G-S010/00)	\$3.00	Half Round 15" diameter (5/8" thick) \$47		
2" Square Post C-G-S020/00)	\$3.50	22" DIAMETER KILN	EQ JH SM JUP	X3200 SERIES, T3400 SERIES &	E EL3048
l" Square Post C-G-S040/00)	\$5.40	FOR E23S-3, E23T-3, SM2 23S-JH, & J2300-3 (kiln	* · · · · · · · · · · · · · · · · · · ·	28" x 14" rectangular (3/4" thick) (H-X-2814/00) \$125	
5" Square Post C-G-S060/00)	\$7.25	Half Round 20" diameter ((H-J-2050/00)	3/4" thick) \$60	(11-X-2014/00)	J123
3" Square Post (C-G-S080/00)	\$8.75	28" & 29" DIAMETER KILNS FOR E28S, E28T, SM28T, (with 2-1/2" or 3" brick)			
		Half Round 25-1/2" diame	eter (3/4" thick)		

INDUSTRIAL CONTROLS

Various industrial controls are available on DaVinci, Jupiter and Easy-Load kilns only. Call factory to discuss.

480 VOLTS/3 PHASE

DAV JUP EL BEL

Available for Jupiter 28" diameter kilns, DaVinci kilns and Easy-Load kilns. Kiln sections are hard wired to power box with flexible cords.

(hotkilns.com/480)

\$1090

NEMA 1 CONTROL BOX:

480 volts on Easy-Load kilns becomes MET-us listed with this extra option. Recommended for other 480 volt kilns or for dusty environments.

(hotkilns.com/480)

\$1090

TYPE S THERMOCOUPLES

Priced per thermocouple. For a single-zone kiln you will need one, for a two-zone kiln two, and for a three-zone kiln three. Note that kilns with four or more sections still only have a three-zone control. (hotkilns.com/type-s)

T-G-0001/UG (Price per thermocouple)

\$355

PYROCIL SHEATHED THERMOCOUPLES



For greater sensitivity to temperature change. Use below 2200°F for sensitivity (glass is a good example). See above note about quantity required.

(hotkilns.com/pyrocil-tc)

T-G-E23M/UG (Price per thermocouple) \$60

ROLLING STAND







7 Sided Kiln (A-J-14RL/00)

Αll

8 Sided Kiln (A-J-18RL/00)

Rolling

10 Sided Kiln (A-J-23RL/00)

Stands

12 Sided Kiln (A-J-29RL/00)

\$340

DYNATROL











Traditional 24-button Keypad control. This control can be substituted for any Genesis full-sized control.

N-G-D300/OP

No Charge

120 VOLT POWER SUPPLY / EMI NOISE FILTER (hotkilns.com/noise)

I-G-FMIF/00

\$305

HIGH LIMIT BACK UP CONTROL (hotkilns.com/high-limit)

EQ JH

N-G-PKHL/00


\$910

CUSTOM OPTIONS

Discuss your custom needs with us. We customize our kilns for industrial applications and special ceramic needs. We can make very tall kilns, very large diameter kilns, add special holes, make ceramic fiber tops, SSRs, add insulation. We have many years of industrial and special design experience.

	DAV EL BEL	Back Up Contactors		
Number of Circuits	Solid State Relays	JUP EFL EQ	EL DAV BEL	
2 Circuit	\$1,475	\$240	\$545	
3 Circuit	\$1,950	\$315	\$650	
4 Circuit	\$2,350	\$405	\$755	
5 Circuit	\$2,775	\$485	\$910	
6 Circuit	\$3,150	\$560	\$1015	





REV: 2/1/2024



