



Price List

MANUFACTURER SUGGESTED RETAIL

REV: 11/1/23

2023



EASY-FIRE KILNS

Pottery Kilns

Classic L&L pottery kiln: Includes signature L&L features. Popular among our customers.

Model No.	Kiln MSRP	Furn Kit	Quad Elem	No. Shelves F=full, H=half	Inside Diam	Inside Height	Cubic Feet	Exterior Dim (in)	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
e14S-3	\$2500	\$240	N/A	12" (3F)	13.5"	18"	1.5	23W x 51H x 27D	3.8~16~20	no 3 phase	3.8~18.5~25	no 3 phase	150	175
e18S-3	\$2875	\$360	N/A	15" (1F, 4H)	16.5"	18"	2.5	28W x 55H x 30D	5.7~23.9~30	5.7~20.7~30	5.0~23.9~30	5.0~20.8~30	235	285
e18M-3	\$3125	\$360	N/A	15" (1F, 4H)	16.5"	22.5"	3.2	28W x 60H x 30D	8.0~33.3~50	8.0~23.1~30	8.0~38.5~50	8.0~26.6~40	260	310
e18T-3	\$3800	\$515	N/A	15" (2F, 4H)	16.5"	27"	3.7	28W x 63H x 30D	8.4~35.0~50	8.4~20.2~30	8.4~40.4~60	8.4~23.3~30	280	340
e23S-3	\$3975	\$540	\$335	20" (6H)	22.3"	18"	4.4	30W x 59H x 40D	9.5~39.4~50	9.5~34.1~50	8.3~40.0~50	8.3~34.6~50	320	395
e23M-3	\$4475	\$540	\$410	20" (6H)	22.3"	22.5"	5.5	30W x 63H x 40D	11.5~48.0~60	11.5~33.3~50	10.0~48.0~60	11.5~38.4~50	350	425
e23T-3	\$4800	\$650	\$490	20" (8H)	22.3"	27"	6.7	30W x 68H x 40D	11.5~48.0~60	11.5~27.7~40	10.0~48.0~60	11.0~30.5~40	380	470
e28S-3	\$4750	\$725	\$440	25-1/2" (6H)	28"	18"	6.8	35W x 65H x 46D	11.5~47.9~60	11.5~41.5~60	10.0~48.0~60	10.0~41.6~60	410	520
e28M-3	\$5100	\$725	\$550	25-1/2" (6H)	28"	22.5"	8.5	35W x 69H x 46D	11.5~48.0~60	16.6~40.0~50	10.0~48.0~60	14.3~39.8~50	445	555
e28T-3	\$5575	\$875	\$650	25-1/2" (8H)	28"	27"	10.2	35W x 74H x 46D	11.5~48.0~60	16.6~40.0~50	10.0~48.0~60	14.3~39.8~50	475	610

N/A = Not Available

Cone Rating: All models are rated to Cone 10 except the single phase e28T-3 (rated to Cone 8 at 240V/1 Phase, Cone 5 at 208V/1 Phase, but Cone 10 for any 3 phase kiln) and the e28M-3 (rated at Cone 8 for 208V/1 phase). If planning continuous Cone 6 firings,

or above, we recommend the eQuad-Pro eQ2827-3 or the Jupiter JD2927-3 (both have more KW than the e28T-3 in their single phase versions).

Furniture Kit: See above for shelves. Includes one Large Square Post Kit.

Power Hookup: (USA only) 6-50P plug on single phase and 15-50P plug on three phase except for the e14S-3 which has a 6-20P Plug for 240 volt models or a 14-30P Plug for 208 volt models.

Listing: c-MET-us listed to UL499 standards.

OPTIONS

● TYPE S THERMOCOUPLES

● PYROCIL SHEATHED THERMOCOUPLES

● ROLLING STAND

● DYNATROL



SCHOOL-MASTER

Made For K-12 Schools

Only kiln with Multi-Voltage Elements designed for K-12 Low Fire Programs.

Model No.	Kiln MSRP	Furn Kit	No. of Shelves All Half Shelves	Inside Diam	Inside Height	Cubic Feet	Exterior Dimensions	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
SM23T-3-A-1Ph	\$4800	\$650	20" (8H)	22.3"	27"	6.7	30W x 68H x 40D	11.5~48.0~60	11.5~27.8~40	9.0~43.2~60	9.0~27.9~40	380	470
SM23T-3-A-3Ph	\$4800	\$650	20" (8H)	22.3"	27"	6.7	30W x 68H x 40D	11.5~48.0~60	11.5~27.8~40	9.0~43.2~60	9.0~27.9~40	380	470

Cone Rating: All models rated for Cone 6 maximum, but low-fire (Cone 1) recommended.

Furniture Kit: See above for shelves. Includes one

Large Square Post Kit.

Power Hookup: (USA only) 6-50 plug with 6 foot cord on single phase (15-50 plug for the three phase cord

which is part of the three phase Conversion Kit).

Listing: c-MET-us listed to UL499 standards.

OPTIONS

● PYROCIL SHEATHED THERMOCOUPLES

● ROLLING STAND



EQUAD-PRO KILNS

Super-Duty High Production Kilns

Extra power, Quad element system, Ideal for Production Potters.

Model No.	Kiln MSRP	Furn Kit	No. of Shelves All Half Shelves	Inside Diam	Inside Height	Cubic Feet	Exterior Dimensions	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
eQ2327-3	\$5875	\$650	20" (8H)	22.3"	27"	6.7	30W x 69H x 40D	13.4~56.0~70	13.4~32.4~50	11.7~56.0~70	11.7~32.4~50	395	485
eQ2827-3	\$6450	\$875	25.5" (8H)	28"	27"	10.2	35W x 74H x 49D	15.0~62.3~80	15.0~36.0~50	15.0~71.9~90	15.0~41.5~60	515	650
eQ2836-3	\$7550	\$1050	25.5" (10H)	28"	36"	13.6	35W x 83H x 49D	19.0~79.2~100	19.0~51.5~70	19.0~91.3~125*	19.0~60.4~80	605	770

Note* Special model eQ2836-X-208-1P is available with 16.6 KW, 208 Volt/1 Phase, 80 amps for a 100 amp fuse.

Cone Rating: All models rated for Cone 10 on a production basis due to extra power and Quad elements.

Furniture Kit: See above for shelves. Includes one

Large Square Post Kit.

Power Hookup: All models are direct wired with no cords.

Listing: c-MET-us listed to UL499 standards.

OPTIONS

● INDUSTRIAL CONTROLS

● TYPE S THERMOCOUPLES

● PYROCIL SHEATHED THERMOCOUPLES

● ROLLING STAND

● HIGH LIMIT BACK UP CONTROL

● BACK UP CONTACTORS

● SOLID STATE RELAYS

● DYNATROL



DOLL / TEST

Craft / Test Kilns

Small test/craft kilns: 120V or low-amperage 208-240V. Ideal for beginners and glaze testing.

Model No.	Kiln MSRP	Furn Kit	Cone Rating	Watts	Amps	Volts	Fuse	Plug	Lbs Kiln	Lbs w/Kit
DL11-D	\$1875	\$180	5	1800	15	120	20	5-15	145	170
DLH11-D	\$1875	\$180	6	2160	18	120	25	5-20	145	170
DLH11-DX-240	\$1875	\$180	10	2800	11.7	240	15	14-30	145	170
DLH11-DX-208	\$1875	\$180	10	2800	13.5	208	20	14-30	145	170

Furniture Kit: Two 9" full shelves plus one Doll Square Post Kit.

Listings: cMET-us listed to UL499.

Note* The 120-volt versions should not be used for high production (more than once a week) to their maximum temperature range - the element life will not be acceptable under those conditions. 208-volt and 240-volt versions are rated to Cone 10 under high production conditions.

OPTIONS

● TYPE S THERMOCOUPLES

● PYROCIL SHEATHED THERMOCOUPLES



JUPITER KILNS

Modular & Highly Customizable

Unique plug-in control panel and sectional construction for sculptors and ceramic artists needing flexibility.

Model No.	Kiln MSRP	Furn Kit	Quad Elem	No. of Shelves F=full, H=half	Inside Diam	Inside Height	Cubic Feet	Cone Rating	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
JD230V-3	\$4900	\$650	\$500	20" (8H)	22.3"	27"	6.7	10	10.6~44.0~60	10.6~25.4~40	9.1~44.0~60	9.1~25.4~40	385	470
JD236V-3	\$6025	\$750	\$650	20" (10H)	22.3"	36"	8.9	10	14.1~58.6~80	14.1~38.1~50	12.2~58.6~80	12.2~38.1~50	460	545
JD245V-3	\$7100	\$850	\$825	20" (12H)	22.3"	45"	11.1	10	17.6~73.3~100	17.6~50.8~70	15.2~73.3~100	15.2~50.8~70	540	650
JD2927-3	\$6825	\$875	\$625	25.5" (8H)	28"	27"	10.2	10	13.7~57.0~80	13.7~32.9~50	12.5~60.0~80	12.5~34.6~50	450	575
JD2936-3	\$8850	\$1050	\$850	25.5" (10H)	28"	36"	13.6	10	18.2~76.0~100	18.2~49.3~70	16.6~80.0~100	16.6~52.0~70	565	715
JD2945-3	\$10475	\$1200	\$1050	25.5" (12H)	28"	45"	17.0	10	22.8~95.0~125	22.8~65.8~90	20.8~100.0~125	20.8~69.3~90	645	820

Note About EZ Models: All the JD2300 series are available with higher watts "EZ" elements (the same elements used in the e23T kilns) at no extra charge.

Cone Rating: All models are rated to Cone 10

Furniture Kit: See above for shelves. Includes one Large Square Post Kit.

Listings: cMET-us listed to UL499.

Power Hookup: Plugs (6-50 for single phase and 15-50 for three phase) are included on kilns that have less than 48 amps, otherwise direct wired. All non-USA models are direct wired.

OPTIONS

● INDUSTRIAL CONTROLS

● 480 VOLTS/3 PHASE (JD2900 Only)

● NEMA 1 CONTROL BOX

● TYPE S THERMOCOUPLES

● PYROCIL SHEATHED THERMOCOUPLES

● ROLLING STAND

● HIGH LIMIT BACK UP CONTROL

● BACK UP CONTACTORS

● SOLID STATE RELAYS

● DYNATROL

● PULL APART OPTION



JH SERIES

Crystalline Glaze Kilns

High-temp, crystalline glaze firing. Extra power, Quad element design, Type S thermocouples, and balanced super high-temp brick for fast heat-up and cooldown.

Model No.	Kiln MSRP	APM Elements	Furn Kit	No. of Shelves F=full, H=half	Inside Diam	Inside Height	Cubic Feet	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
JD18-JH	\$4350	\$775	\$360	15" (1F, 4H)	17.5"	18"	2.6	8.8~36.7~60	8.8~31.7~50	8.8~42.3~60	8.8~36.8~50	255	305
e23S-JH	\$5250	\$850	\$540	20" full (6H)	23.3"	18"	4.7	10.5~47.9~60	10.5~41.5~50	10.0~48.0~60	10.0~41.6~50	335	415
JD230-JH	\$8075	\$1225	\$650	20" full (8H)	23.3"	27"	7.0	13.7~57.0~80	13.7~32.9~50	12.5~60.0~80	12.5~34.7~50	410	510
JD2927-JH	\$10200	\$1375	\$875	25.5" (8H)	29"	27"	10.3	18.0~75.2~100	18.0~43.5~60	18.0~86.7~125	18.0~50.1~70	510	645

Cone Rating: All models rated for Cone 12 on a production basis due to extra power, Quad elements, and high-temp brick.

Furniture Kit: See above for shelves. Includes one

Large Square Post Kit.

Listings: JH Series kilns are not listed to UL499. They may be unsuitable for commercial spaces where Nationally Recognized Listing is required.

Power Hookup: Plugs vary with model, voltage and phase. See Spec sheet standards.

OPTIONS

● TYPE S THERMOCOUPLES

● PYROCIL SHEATHED THERMOCOUPLES

● ROLLING STAND

● HIGH LIMIT BACK UP CONTROL

● BACK UP CONTACTORS

● SOLID STATE RELAYS

● DYNATROL



EFL SERIES KILNS

Studio Front-Loading Kilns

Great for studios and schools. Arched sides and top for strength. Heat-balanced insulation, even firing. Adjustable door with plug seal and door switch.

Model Number	Kiln MSRP	Furn Kit	Shelves	Cubic Feet	Hearth Height	Inside Dimensions	Exterior Dimensions	240/1 KW~Amp~Fuse	240/3 KW~Amp~Fuse	208/1 KW~Amp~Fuse	208/3 KW~Amp~Fuse	Lbs Kiln	Lbs w/Kit
eFL1626	\$8,225	\$650	(3) 14"x 24"	6.6	30"	17W x 26H x 26D	36W x 63H x 39D	11.5~48.0~60	12.5~30.1~40	*11.6~56.0~70	12.5~34.7~50	645	725
eFL2626	\$10,125	\$925	(6) 12"x 24"	10.2	30"	26W x 26H x 26D	45W x 63H x 39D	15.4~64.0~80	15.4~37.0~50	15.4~73.9~100	15.4~42.6~60	765	850
eFL2635	\$11,900	\$1125	(8) 12"x 24"	13.7	30"	26W x 35H x 26D	45W x 72H x 39D	19.2~80.0~100	19.2~52.9~70	19.2~92.3~125	19.2~61.1~80	895	900

All models are rated to Cone 10. *A special model eFL1626-208-X is rated at Cone 5 but has 48.0 amps and a 60 amp fuse. Plugs on US Models only: 6-50P on single phase and 15-50P on three phase for all eFL1626 models except the standard eFL1626-208 1 Phase and 3 phase eFL2626 which needs to be direct wired. All other models are direct wired.

Moving: All models fit through a 31" wide by 75" high door (before re-assembly). All eFL kilns can be moved with a pallet-jack. **High-lift pallet-jack or forklift required for assembly and unloading off pallet.**

Shipping: Protected with wood crate and foam-in-place packaging for shipment by Common Carrier. Fits on one 48x48" pallet. Ships from factory

direct to customer.

Furniture Kit: See above for shelves. Includes one Large Square Post Kit.

Listings: cMET-us listed to UL499.

Caster Option Available : except for the eFL2635
(S-C-CAST/KT) **\$340**

Checklist: Fill out installation checklist prior to order:



hotkilns.com/eFL-checklist

OPTIONS

- INDUSTRIAL CONTROLS
- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED THERMOCOUPLES
- CASTERS (except eFL2635)
- HIGH LIMIT BACK UP CONTROL
- BACK UP CONTACTORS
- SOLID STATE RELAYS
- DYNATROL



EASY-LOAD KILNS

Commercial Front-Loading Kilns

Ideal for production. Adjustable door with plug seal, fiberglass gasket, door elements. Heavy-gauge welded case, 4.5" K25 arched brick top and 2" of backup insulation between firebrick and metal casing. Door switch, industrial control panel with branch fusing.

Model No.	Kiln MSRP	Furniture Kit	Inside Dimensions	Cubic Feet	Hearth Size	Shelves Size	Hearth Height	KW	240/1 Amp~Fuse	240/3 Amp~Fuse	208/1 Amp~Fuse	208/3 Amp~Fuse	480/3 Amp~Fuse	Lbs Kiln	Lbs w/Kit
EL2424	\$14,475	\$575	25W x 25D x 24H	8.0	22" x 22"	(4) 11" x 22"	30"	15.0	63.0~80	55.0~70	73.0~100	63.0~80	28.0~40	1075	1250
EL2427	\$15,750	\$750	25W x 25D x 27H	9.0	22" x 22"	(6) 11" x 22"	30"	15.0	68.8~90	39.6~50	79.3~100	45.7~60	19.8~25	1200	1450
EL2436	\$22,925	\$1150	25W x 25D x 36H	12.0	22" x 22"	(8) 11" x 22"	30"	19.0	80.0~100	46.0~60	92.0~125	53.0~70	24.0~30	1350	1550
EL2448	\$27,800	\$1325	25W x 25D x 48H	16.0	22" x 22"	(10) 11" x 22"	18"	24.2	101.0~125	59.0~80	117.0~150	68.0~90	30.0~40	1500	1750
EL2848	\$29,825	\$1750	31W x 25D x 48H	20.0	28" x 24"	(12) 14" x 24"	18"	27.0	113.0~150	66.0~90	130.0~175	75.0~100	33.0~50	1750	2000
EL3048	\$34,400	\$1825	31W x 32D x 48H	25.0	28" x 28"	(12) 14" x 28"	18"	31.5	132.0~175	76.0~100	152.0~200	88.0~125	39.0~50	2000	2300

Cone Rating: All models rated for Cone 10

Furniture Kit: See above for shelves. Includes two Large Square Post Kits.

Power Hookup: Direct wired.

Moving: All the kilns except the EL3048 will go through a 34-1/2" wide by 75" high door. The EL3048 needs a minimum door size of 40-1/2" wide by 76" high. All Easy-Load kilns can be moved with a pallet-jack from any side, after its unloaded. **Forklift required for unloading off pallet.**

Shipping: Protected with wood crate, foam-in-place packaging, and special pallet cushions. Shipping by air-ride truck. Fits on one pallet. Ships from factory direct to customer.

Listings: MET-us listed to UL499.

Powered Bottom Option Available
(P-B-UPGD/00) **\$1,900**

Checklist: Fill out installation checklist prior to order:



hotkilns.com/front-load-checklist

OPTIONS

- INDUSTRIAL CONTROLS
- 480 VOLTS/3 PHASE
- NEMA 1 CONTROL BOX
- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED THERMOCOUPLES
- POWERED BOTTOM
- HIGH LIMIT BACK UP CONTROL
- BACK UP CONTACTORS
- SOLID STATE RELAYS
- DYNATROL



DAVINCI KILNS

Square & Rectangular Top-Loading Kilns

Large volume square & rectangular kilns with adjustable height. Ideal for production and tiles. Arched sides for strength, counterbalanced lid.

Model No.	Kiln MSRP	Power Botm	High Power	Furn Kit	Quad Elem	Shelves in Furn Kit	Post Kits	Inside W x D	Inside Height	Cubic Feet	External Dimensions	Stand KW	High KW	Standard KW Fuse (see Spec Sheets for high KW fuse)				Lbs Kiln	Lbs w/Kit
														240/1 Fuse	240/3 Fuse	208/1 Fuse	208/3 Fuse		
XB2818	\$8,125	N/A	N/A	\$625	\$510	(4) 24" x 12"	(1)	26.5" Square	18"	7.3	59W x 74H x 46D	11.6	N/A	60	60	70	60	800	915
X2827	\$9,775	N/A	N/C	\$800	\$750	(6) 24" x 12"	(1)	26.5" Square	27"	11.0	59W x 84H x 46D	14.9	17.4	80	50	90	60	825	930
X2836	\$11,175	N/A	N/C	\$1250	\$1025	(8) 24" x 12"	(2)	26.5" Square	36"	14.6	59W x 93H x 46D	19.9	23.2	100	70	125	80	910	1045
X2845	\$12,300	N/A	N/C	\$1450	\$1250	(10) 24" x 12"	(2)	26.5" Square	45"	18.3	59W x 102H x 46D	24.9	29.0	125	90	150	100	1045	1205
XB3218	\$9,325	\$1275	N/A	\$775	\$525	(4) 28" x 14"	(1)	30.5" Square	18"	9.7	63W x 74H x 51D	14.2	N/A	80	70	90	80	800	915
X3227	\$10,900	\$1275	N/C	\$1000	\$800	(6) 28" x 14"	(1)	30.5" Square	27"	14.5	63W x 84H x 51D	18.0	21.3	100	60	125	70	1020	1170
X3236	\$12,625	\$1275	N/C	\$1475	\$1075	(8) 28" x 14"	(2)	30.5" Square	36"	19.4	63W x 93H x 51D	24.4	28.4	125	80	150	100	1120	1310
X3245	\$13,975	\$1275	N/C	\$1700	\$1350	(10) 28" x 14"	(2)	30.5" Square	45"	24.2	63W x 102H x 51D	30.5	35.5	175	125	200	125	1265	1495
TB2318	\$9,200	\$1525	N/A	\$775	\$575	(6) 22" x 11"	(1)	26.5" x 34.75"	18"	9.6	68W x 72H x 47D	15.3	N/A	80	70	100	80	905	1005
T2327	\$10,725	\$1525	N/C	\$1050	\$850	(9) 22" x 11"	(1)	26.5" x 34.75"	27"	14.4	68W x 84H x 47D	19.5	23.0	100	60	125	70	1035	1170
T2336	\$12,350	\$1525	N/C	\$1550	\$1125	(12) 22" x 11"	(2)	26.5" x 34.75"	36"	19.2	68W x 93H x 47D	26.0	30.7	125	90	150	100	1135	1315
T2345	\$13,700	\$1525	N/C	\$1825	\$1425	(15) 22" x 11"	(2)	26.5" x 34.75"	45"	24.0	68W x 102H x 47D	32.5	38.4	175	125	200	125	1285	1500
TB3418	\$9,700	\$1725	N/A	\$1200	\$650	(6) 28" x 14"	(2)	30.5" x 43.5"	18"	13.8	76W x 72H x 53D	19.9	N/A	100	90	125	100	1065	1215
T3427	\$11,625	\$1725	N/C	\$1600	\$1000	(9) 28" x 14"	(2)	30.5" x 43.5"	27"	20.7	76W x 84H x 53D	24.9	36.5	125	80	150	90	1215	1420
T3436	\$13,650	\$1725	N/C	\$1925	\$1350	(12) 28" x 14"	(2)	30.5" x 43.5"	36"	27.6	76W x 93H x 53D	33.3	39.9	175	125	200	125	1340	1615
T3445	\$16,050	\$1725	N/C	\$2675	\$1650	(15) 28" x 14"	(3)	30.5" x 43.5"	45"	34.6	76W x 102H x 53D	41.6	49.8	200	150	225	175	1505	1840

(N/A = Not available, N/C = No Charge)

Cone Rating: All models rated for Cone 10.

Furniture Kit: See above for shelves and number of Large Square Post Kits.

Power Hookup: Direct wired - no plugs.

Shipping: Protected with foam-in-place packaging for shipment by Common Carrier. Depending on the model there are either two or three crates. Some smaller models can ship in skidded cartons. Ships from factory direct to customer.

Listings: cMET-us listed to UL499.

OPTIONS

- INDUSTRIAL CONTROLS
- 480 VOLTS/3 PHASE
- NEMA 1 CONTROL BOX
- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED THERMOCOUPLES
- POWERED BOTTOM
- HIGH LIMIT BACK UP CONTROL
- BACK UP CONTACTORS
- SOLID STATE RELAYS
- DYNATROL



DAVINCI BELL-LIFT KILNS

Commercial Vertical Lift Kilns

Loading made easy. Kiln body moves up, accessible from all four sides. Replaces Car Bottom Kilns.

Model No.	Kiln MSRP	Power Bottom	Furn Kit	Shelves in Furn Kit	Post Kits	Inside W x D	Inside Height	Cubic Feet	External Dimensions	Stand KW	High KW	Standard KW Fuse (see Spec Sheets for high KW fuse)				Lbs Kiln	Lbs w/Kit
												240/1 Fuse	240/3 Fuse	208/1 Fuse	208/3 Fuse		
X3227-BL	\$29,000	\$1275	\$1000	(6) 28" x 14"	(1)	30.5" Square	27"	14.5	77W x 114H x 67D	18.0	21.3	100	60	125	70	1750	1900
X3236-BL	\$30,600	\$1275	\$1475	(8) 28" x 14"	(2)	30.5" Square	36"	19.4	77W x 132H x 67D	24.4	28.4	125	80	150	100	1885	2090
X3245-BL	\$34,225	\$1275	\$1700	(10) 28" x 14"	(2)	30.5" Square	45"	24.2	77W x 150H x 67D	30.5	35.5	175	125	200	125	2075	2325
X3254-BL	\$36,325	\$1275	\$1700	(10) 28" x 14"	(2)	30.5" Square	54"	29.1	77W x 168H x 67D	36.0	42.6	200	150	225	176	2140	2350
T3427-BL	\$31,575	\$1725	\$1600	(9) 28" x 14"	(2)	30.5" x 43.5"	27"	20.7	89W x 114H x 70D	24.9	36.5	125	80	150	90	1975	2205
T3436-BL	\$32,500	\$1725	\$1925	(12) 28" x 14"	(2)	30.5" x 43.5"	36"	27.6	89W x 132H x 70D	33.3	39.9	175	125	200	125	2225	2525
T3445-BL	\$34,225	\$1725	\$2675	(15) 28" x 14"	(3)	30.5" x 43.5"	45"	34.6	89W x 150H x 70D	41.6	49.8	200	150	225	175	2475	2850
T3454-BL	\$36,325	N/A	\$2675	(15) 28" x 14"	(3)	30.5" x 43.5"	54"	41.5	89W x 168H x 70D	49.8	59.8	250	200	300	225	2445	2860

Cone Rating: All models rated for Cone 10.

Listings: cMET-us listed to UL499 with the exception of models X3254-BL, T3454-BL, and TB644754-BL.

Furniture Kit: See above for shelves and number of Large Square Post Kits.

Power Hookup: Direct wired - no plugs. You have a choice of standard or high power KW for no change in price.

OPTIONS

- INDUSTRIAL CONTROLS
- 480 VOLTS/3 PHASE
- NEMA 1 CONTROL BOX
- TYPE S THERMOCOUPLES
- PYROCIL SHEATHED THERMOCOUPLES
- POWERED BOTTOM
- HIGH LIMIT BACK UP CONTROL
- BACK UP CONTACTORS
- SOLID STATE RELAYS
- DYNATROL

● **VENT-SURE FOR 120 VOLTS**

(primarily used in the USA)

(M-V-VENT/00)

\$725

● **VENT-SURE FOR 220-240 VOLTS**

(Usually non-USA)

(M-V-VENT/41)

\$825

● **VENT CONTROL**

(hotkilns.com/vent-control)

Note: When used with Genesis-Mini, the vent can only turn on with program and off at end of program.

(M-V-CNTL/00)

\$190

● **EXTRA LONG FLEX DUCT**

(3 ft to 15 ft heavy duty flexible duct)

(M-V-DUCT/15)


\$40

● **VENT DOUBLER**

(hotkilns.com/doubler)

(M-V-MVENT/DB)

\$220



LARGE SQUARE POST KIT

(Six each 1/2", 1", 2", 4", 6" & 8" square posts)

(C-G-SPKT/LG)

\$180

SMALL SQUARE POST KIT

(Four each 1/2", 1", 2", 4", 6" square posts)

(C-G-SPKT/SM)

\$125

DOLL SQUARE POST KIT

(Four each 1/2", 1", 2", 4" square posts)

(C-G-SPKT/DL)

\$100

SQUARE POSTS (1-1/2" SQUARE)

1/2" Square Post

(C-G-S005/00)

\$2.35

1" Square Post

(C-G-S010/00)

\$2.90

2" Square Post

(C-G-S020/00)

\$3.40

4" Square Post

(C-G-S040/00)

\$5.25

6" Square Post

(C-G-S060/00)

\$6.25

8" Square Post

(C-G-S080/00)

\$8.50

ROUND & POLYGONAL SHELVES

11" DIAMETER KILNS

DOL

FOR DOLL/TEST KILNS

Full Round 9" diameter shelf (3/8" thick)

(H-D-9000/00)

\$42

14" DIAMETER KILNS

EZ

FOR FUEGO & E14S-3 KILNS (with 3" brick)

Full Round 12" diameter (1/2" thick)

(H-J-1200/00)

\$50

16-1/2" DIAMETER KILNS

EZ JUP

FOR E18S-3 & E18T-3, AND J1800-3 (kilns with 3" brick)

Full Round 15" diameter (5/8" thick)

(H-J-150A/00)

\$72

Half Round 15" diameter (5/8" thick)

(H-J-155A/00)

\$47

22" DIAMETER KILN

EZ EQ JH SM JUP

FOR E23S-3, E23T-3, SM23T-3, EQ2327-3, 23S-JH, & J2300-3 (kilns with 3" brick)

Half Round 20" diameter (3/4" thick)

(H-J-2050/00)

\$61

28" & 29" DIAMETER KILNS

EZ EQ JH JUP

FOR E28S, E28T, SM28T, J2900 SERIES (with 2-1/2" or 3" brick)

Half Round 25-1/2" diameter (3/4" thick)

(H-J-2650/00)

\$100

RECTANGULAR SHELVES

T2300 SERIES, EL2424-H, EL2427-H, EL2436 & EL2448

EL EFL

11" x 22" rectangular (3/4" thick)

(H-X-2211/00)

\$95

EFL2626, EFL2635, X2800 SERIES, E2818XT, E2827XT

EFL DAV EL

12" x 24" rectangular (3/4" thick)

(H-X-2412/00)

\$95

EL2848, EFL1616, EFL1626

EFL EL

14" x 24" rectangular (3/4" thick)

(H-X-2414/00)

\$110

X3200 SERIES, T3400 SERIES & EL3048

DAV EL

28" x 14" rectangular (3/4" thick)

(H-X-2814/00)

\$120

● **INDUSTRIAL CONTROLS** DAV JUP EL BEL

Various industrial controls are available on DaVinci, Jupiter and Easy-Load kilns only. Call factory to discuss.

● **480 VOLTS/3 PHASE** DAV JUP EL BEL

Available for Jupiter 28" diameter kilns, DaVinci kilns and Easy-Load kilns. Kiln sections are hard wired to power box with flexible cords.

(hotkilns.com/480) **\$1050**

● **NEMA 1 CONTROL BOX:** EL DAV BEL

480 volts on Easy-Load kilns becomes MET-us listed with this extra option. Recommended for other 480 volt kilns or for dusty environments.

(hotkilns.com/480) **\$1050**

● **TYPE S THERMOCOUPLES** ALL

Priced per thermocouple. For a single-zone kiln you will need one, for a two-zone kiln two, and for a three-zone kiln three. Note that kilns with four or more sections still only have a three-zone control. (hotkilns.com/type-s)

T-G-SJUP/UG (Price per thermocouple) **\$340**

● **PYROCIL SHEATHED THERMOCOUPLES** ALL

For greater sensitivity to temperature change. Use below 2200°F for sensitivity (glass is a good example). See above note about quantity required.

(hotkilns.com/pyrocil-tc)

T-G-E23M/UG (Price per thermocouple) **\$58**

● **ROLLING STAND** EZ EQ JH JUP SM

7 Sided Kiln (A-J-14RL/00)

8 Sided Kiln (A-J-18RL/00)

10 Sided Kiln (A-J-23RL/00)

12 Sided Kiln (A-J-29RL/00) **\$325**

● **DYNATROL** EZ EQ JH JUP EFL DAV EL BEL

Traditional 24-button Keypad control. This control can be substituted for any Genesis full-sized control.

N-G-D300/OP **No Charge**

● **120 VOLT POWER SUPPLY / EMI NOISE FILTER** ALL

(hotkilns.com/noise)

L-G-EMIF/00 **\$295**

● **HIGH LIMIT BACK UP CONTROL** EFL EQ JH JUP

(hotkilns.com/high-limit)

DAV EL BEL

N-G-PKHL/00 **\$875**

● **CUSTOM OPTIONS**

Discuss your custom needs with us. We customize our kilns for industrial applications and special ceramic needs. We can make very tall kilns, very large diameter kilns, add special holes, make ceramic fiber tops, SSRs, add insulation. We have many years of industrial and special design experience.

EFL EQ JH JUP
DAV EL BEL

Back Up Contactors

Number of Circuits	Solid State Relays	JUP EFL EQ			EL DAV BEL		
2 Circuit	\$1,475		\$230			\$525	
3 Circuit	\$1,950		\$305			\$625	
4 Circuit	\$2,350		\$390			\$725	
5 Circuit	\$2,775		\$465			\$875	
6 Circuit	\$3,150		\$540			\$975	

ALL

DOL CRAFT-TEST

EQ EQUAD

EL EASY-LOAD

BEL BELL-LIFT

JH JH SERIES


SM SCHOOL-MASTER

EZ EASY-FIRE

EFL EFL FRONTLOADING

DAV DAVINCI

JUP JUPITER



Hard Channels

Protect Your Brick



EASY-FIRE KILNS

Pottery Kilns

EQUAD-PRO KILNS

Super-Duty High Production Kilns

DOLL / TEST

Craft / Test Kilns

JUPITER KILNS

Modular & Highly Customizable

JH SERIES

Crystalline Glaze Kilns

SCHOOL-MASTER

Made For K-12 Schools

EFL SERIES KILNS

Studio Front-Loading Kilns

EASY-LOAD KILNS

Commercial Front-Loading Kilns

DAVINCI KILNS

X-SERIES - Square Top-Loading Kilns

DAVINCI KILNS

T-SERIES - Rectangular Top-Loading Kilns

72"

72"

72"

72"

72"

DLH11-DX

eQ2836

eQ2827

eQ2327

e28T-3

e28M-3

e28S-3

e23T-3

e23M-3

e23S-3

e18T-3

e18M-3

e18S-3

e14S-3

SM23T-3-A

JD2927-JH

JD230-JH

e23S-JH

JD18-JH

JD2945-3

JD2936-3

JD2927-3

JD245-3

JD236-3

JD230-3

EL3048

EL2848

EL2448

EL2436

EL2427

EL2424

eFL2635

eFL2626

eFL1626

X3245

X3236

X3227

X83218

X2845

X2836

X2827

X82818

T3445

T3436

T3427

T83418

T2345

T2336

T2327

T82318