



- 87654321
1. **WALL/KILN SPACING:** 12" [30.5cm] SPACING BETWEEN SIDES OF KILN AND WALLS OR OTHER OBJECTS. 18" [45.7cm] IS RECOMMENDED. LEAVE AT LEAST 18" [45.7cm] BETWEEN TWO KILNS.
2. **AMBIENT VENTILATION:** SEE CHART TO RIGHT FOR RATINGS. TO CALCULATE REQUIREMENTS, SEE [hotkilns.com/calculate-kiln-room-ventilation](http://hotkilns.com/calculate-kiln-room-ventilation).
3. **KILN VENTILATION:** L&L VENT-SURE KILN VENT RECOMMENDED FOR SAFETY AND LONGER ELEMENT LIFE. OPTIONAL CONTROL ALLOWS VENT TO BE TURNED ON AND OFF WITH CONTROL.
4. **OTHER INFO:** REFER TO INSTALLATION INSTRUCTIONS AND CAUTIONS INSTRUCTIONS FOR OTHER REQUIREMENTS AND SAFETY INFORMATION. REFER TO WIRING DIAGRAM FOR ELECTRICAL HOOKUP INFORMATION.
5. **MAX LOAD WEIGHT:** SEE [hotkilns.com/load-weight](http://hotkilns.com/load-weight).
6. **WEIGHT OF KILN:** 660 LBS, [299 KG]
7. **WEIGHT OF KILN WITHOUT DOOR:** 520 LBS [236 KG]
8. **WEIGHT OF DOOR:** 140 LBS [64 KG]

| BTUS/ KILOJOULES PER HOUR NEEDED TO BE VENTED WITH AMBIENT ROOM VENTILATION (THIS IS IN ADDITION TO KILN VENTING): |       |           |            |
|--|-------|-----------|------------|
| AT TEMP F  | BTUS  | AT TEMP C | KILOJOULES |
| 1800F  | 15456 | 980C      | 16307      |
| 2000F  | 18064 | 1095C     | 19058      |
| 2232F  | 21323 | 1222C     | 22497      |
| 2350F  | 23076 | 1285C     | 24347      |



CLEARANCES, LAYOUT & INSTALLATION

APPROXIMATE CENTER OF MASS IS SHOWN WITH ROUND CROSS SYMBOLS. KILN COULD TIP OVER IF CENTER OF MASS BECOMES VERTICAL ABOVE ONE EDGE OF KILN BASE. THIS COULD CAUSE SERIOUS INJURY.



FRONT, FRONT CROSSECTION AND LEFT SIDE VIEWS

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L&L KILN MFG INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF L&L KILN MFG INC. IS PROHIBITED.

MATERIAL:

DRAWN BY  
DSL

DATE  
04/15/20

SCALE  
1:10

TITLE  
eFL2626 KILN ASSEMBLY

**L&L KILNS**

505 SHARPTOWN RD  
SWEDESBORO NJ 08085  
PH: (856) 294-0077  
FAX: (856) 294-0070

REV  
C.2

SHEET OF  
2/4

DRAWING NO.  
200-000-80

8

7

6

5

4


3

2


1

NOTE: THESE VIEWS SHOWN WITH  
OPTIONAL CASTER ASSEMBLIES


RIGHT SIDE VIEW



SECTION B-B  
TOP VIEW CUTAWAY  
ALL BRICK 3" THICK



BACK VIEW



## RIGHT SIDE, TOP CROSSECTION & BACK VIEWS

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF  
L&L KILN MFG INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT  
THE WRITTEN PERMISSION OF L&L KILN MFG INC. IS PROHIBITED.

MATERIAL:

DRAWN BY  
DSL

DATE  
04/15/20

SCALE  
1:10

TITLE  
eFL2626 (3" BRICK) GENERAL DIMENSIONS



505 SHARPTOWN RD  
SWEDSBORO NJ 08085  
PH: (856) 294-0077  
FAX: (856) 294-0070

REV  
C.2

SHEET OF  
3/4

DRAWING NO.  
200-000-80

8

7

6

5

4

3

2

1



D

C

B


A

D

C

B

A



# FEATURES & OPTIONS

OPTIONAL FURNITURE KIT: (6) 12" [30.4cm] X 24" [60.9cm] RECTANGULAR SHELVES, SIX EACH 1/2", 1", 2", 4", 6" AND 8" SQUARE POSTS